


CITY OF BURBANK
DEPARTMENT OF PUBLIC WORKS / TRAFFIC ENGINEERING
GENERAL TRAFFIC CONTROL REQUIREMENTS

1. The Contractor shall obtain a City of Burbank Excavation and/or Street Use Permit for work performed in the right-of-way and shall provide the City with general liability insurance in the amount of \$1,000,000.00, naming the City as additionally insured.
2. It is the responsibility of the Contractor performing work on a public street to install and maintain the traffic control devices according to the "Work Area Traffic Control Handbook", latest edition, to insure the safe movement of traffic and pedestrians through or around the work area and provide maximum protection and safety to construction workers. The Contractor shall submit a traffic control plan for approval prior to start of work in travel lanes on any multi-lane street or for any conditions not covered by the WATCH.
3. FLASHING ARROW BOARD(S) ARE MANDATORY FOR LANE CLOSURES ON MAJOR STREETS. They shall operate until traffic control is removed.
4. As a minimum, all travel lanes shall be open between 5:00 a.m. and 8:30 a.m. and between 3.30 p.m. and 9:00 p.m. One travel lane in each direction shall be open at all times between 8:30 a.m. and 3:30 p.m. All traffic lanes shall be open before and after work hours. Other time restrictions may be established by the Traffic Engineer when conditions warrant.
5. All open trenches shall be covered with non-skid steel plates or temporary asphalt pavement before and after work hours.
6. All signs, delineators, barricades, etc. shall conform to the State of California Standard Specifications, latest edition, the California Department of Transportation "Manual of Traffic Control for Construction and Maintenance Work Zones, latest edition, and the "WATCH", latest edition. All barricades shall be equipped with flashing/steady burn warning lamps at night. All cones, delineators, barricades and "k" rails shall be reflectorized. All traffic controls shall be kept in their proper position at all times and shall be repaired, replaced, or cleaned as necessary to preserve their appearance and continuity. Any devices not part of the required traffic control or detours shall be removed from the view of the traveling public immediately.
7. The Contractor shall notify MTA Stops and Zones Dispatcher at (213) 922-2000 and any other affected transit services at least two working days prior to construction.
8. Where necessary, the contractor shall properly post City-issued and approved "TEMPORARY NO PARKING ANYTIME" signs at least 48 hours before start of work. The Contractor shall notify the Burbank Police Department at (818) 238-3000 immediately upon posting signs.
9. Vehicular and pedestrian access to adjacent properties shall be provided at all times. Closed sidewalks shall be posted with "SIDEWALK CLOSED" signs at each approach to the closure and an approved alternate route provided.
10. Protect traffic signal detectors in place or replace within 5 calendar days of final paving. All detectors damaged by the work shall be replaced to the standards of the City Public Works Department.
11. Notify Traffic Engineering at (818) 238-3965 at least 48 hours prior to any work in right-of-way.
12. Any revisions to the traffic control plans or requirements shall be approved by the Traffic Engineer.

APPROVED: _____


Ken Johnson
TRAFFIC ENGINEER

NOTE: Any revisions noted on this sheet must be initialed by the Traffic Engineer. Original is on file in Traffic Engineering Office